

FIG. 1




FIG. 2
PRIOR ART




FIG. 3
PRIOR ART




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31





FIG. 32



This cross-sectional view shows a central vertical assembly mounted on a horizontal base. The base, labeled 12, is a thick, hatched layer. A vertical component, labeled 44, passes through the base. A horizontal plate, labeled 13, is positioned above the base. A small rectangular component, labeled 48, is mounted on the base. A larger rectangular component, labeled 49, is mounted on the horizontal plate 13. The top of the vertical component 44 is capped with a rounded, rectangular component labeled 42. The top surface of this cap is labeled 44a, and its side surface is labeled 44b. A small screw or fastener is visible securing the horizontal plate 13 to the base 12. The label 12b points to the base layer.

FIG. 35





FIG. 36





[illegible]

FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44

